

Granite Step Unit

Granite aggregate steps.

Crafted with natural granite aggregates, Granite Step Units have an attractive, natural appearance and coarse textured surface, making these paving steps a stylish and practical choice for your project.

- Available with the inclusion of contrasting nosing
- Manufactured with natural granite aggregates
- Vibrant long-lasting colours
- Creates a striking, contemporary look

 **Ef-Stop®**

TGA

Textured
Granite Aggregate





Finish



Pedestrian
Use




BIM
Level 2



Sizes

Granite Step Unit




Specification



Product type	Concrete Block
Manufactured to	BS EN 1339:2003
Granite Content	Not less than 56.4% of granite aggregate in surface layer.
Efflorescence	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence
Strength	Typical tensile splitting strength of >5MPa (Class 3)
Slip/Skid risk	Extremely Low
NSI	Plus Q24 110 Create 45-20-64/400
Applications	This product should be designed into projects using guidance from the Building Regulations, British Standards and any other relevant documents.
Energy used	100% renewable energy
Water used	100% from our rainwater harvesting system and groundwater bore hole
Recyclable	100% of this product can be recycled
Manufacturing & Delivery	From one location within the UK
breem rating www.bre.co.uk	Refer to the Green Guide to Specification, 4th Edition 2009.

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

Product Profile



Contact Us

GB: 0844 800 5736
 NI: 028 7964 2411
 ROI: 048 7964 2411

Email

technical@tobermore.co.uk
 sales@tobermore.co.uk

tobermore.co.uk

Granite Step Unit




Stock

product	size (mm)	finish	edge	colours available	in stock	no. per pack	weight kg per pack GB	weight kg per pack NI/ROI
Granite Step Unit with/without contrasting nosing	400 x 150 x 1000	Granite Textured	Square	Granite Aggregate (can be produced with or without a black contrasting nosing 55mm x 50mm)	Textured to order	10	1370	1370
BIM	350 x 150 x 1000	Granite Textured	Square	Granite Aggregate (can be produced with or without a black contrasting nosing 55mm x 50mm)	Textured to order	10	1200	1200
	350 x 150 x 750	Granite Textured	Square	Granite Aggregate (can be produced with or without a black contrasting nosing 55mm x 50mm)	MTO	10	900	900
	350 x 150 x 500	Granite Textured	Square	Granite Aggregate (can be produced with or without a black contrasting nosing 55mm x 50mm)	MTO	20	1200	1200

BIM - This product is available to download from our website in BIM Level 2 format.

Important: Tobermore recommend that compliance is sought from Building Control prior to the installation of any of its step products.

Granite Aggregate



Contact Us

GB: 0844 800 5736
NI: 028 7964 2411
ROI: 048 7964 2411

Email

technical@tobermore.co.uk
sales@tobermore.co.uk