

Manhattan

Linear, plank paving.

Attractive plank-style paving making a strong design statement. Manhattan block paving is perfect for contemporary schemes and provides a textured finish in natural granite aggregates.

- Granite appearance
- Manufactured with natural granite aggregates
- Superb hard-wearing granite surface
- Vibrant long-lasting colours
- Creates a striking, contemporary look

 **PrimeTop®**

 **Ef-Stop®**

TGA

Textured
Granite Aggregate

Finish



Pedestrian
Use



Light
Traffic



Commercial
Traffic

Refer to relevant guidance in BS 7533



BIM
Level 2



600 x 150mm


Single Size



250 x 122mm



300 x 122mm



300 x 164mm



400 x 122mm



400 x 164mm



500 x 122mm



500 x 164mm

Mixed Length Sizes

All sizes in one pack



80mm
120mm

Depths

Manhattan



Specification



Product type	Concrete Paving Block		
Manufactured to	BS EN 1338:2003		
Surface Layer	Hard-wearing surface layer with a minimum of 4mm and >350kgs/m ³ cement		
Surface Finish	Textured Granite Aggregate		
Granite Content	Not less than 53% of granite aggregate in surface layer for Silver, Mid Grey and Graphite; Not less than 45% of granite aggregate in surface layer for Sandstone		
Efflorescence	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence		
Strength	Typical tensile splitting strength of >3.6MPa		
Slip/Skid risk	Extremely Low		
Installed to	BS 7533-3:2005		
BS	Plus Q24 110 Create 45-20-64/400		
Applications	<p>600x150x80mm & Mixed length x80mm Suitable for pedestrianised areas. Technical guidance must be considered for any other application. The latest British Standard should be consulted to ensure the correct sub-base design is achieved prior to installation. Specialised design advice can be obtained by contacting Tobermore directly.</p> <p>Mixed length x120mm Suitable for pedestrianised areas or areas with occasional vehicular traffic overrun. Technical guidance must be considered for any other application. The latest British Standard should be consulted to ensure the correct sub-base design is achieved prior to installation. Specialised design advice can be obtained by contacting Tobermore directly.</p>		
Energy used	100% renewable energy		
Water used	100% from our rainwater harvesting system and groundwater bore hole		
Recycled content	Not less than 6%		
Carbon Footprint	80mm	Silver 32kgCo ² e/m ² Mid Grey 34kgCo ² e/m ² Sandstone 34kgCo ² e/m ² Graphite 34kgCo ² e/m ²	
	120mm	Silver 48kgCo ² e/m ² Mid Grey 51kgCo ² e/m ² Sandstone 51kgCo ² e/m ² Graphite 51kgCo ² e/m ²	
Recyclable	100% of this product can be recycled		
Manufacturing & Delivery	From one location within the UK		
brecom rating www.bre.co.uk	Refer to the Green Guide to Specification, 4 th Edition 2009		

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

Contact Us

GB: 0844 800 5736
 NI: 028 7964 2411
 ROI: 048 7964 2411

Email

technical@tobermore.co.uk
 sales@tobermore.co.uk

tobermore.co.uk

Manhattan




Stock


product	size (mm)	colours available	in stock	m ² per pack	m ² per slice	no. per m ²	no. per pack	weight kg per pack GB	weight kg per pack NI/ROI
Manhattan BIM	600 x 150 x 80	Graphite, Mid Grey, Silver	YES	9	4.5	11.11	100	1646	1636
		Sandstone	MTO						
	Mixed length x 80	Graphite, Mid Grey, Sandstone Silver	YES	9.6	0.96	20.7	200	1765	1755
	Mixed length x 120	Graphite, Mid Grey, Sandstone Silver	MTO	6.72	0.96	20.7	140	1852	1842

BIM - This product is available to download from our website in BIM Level 2 format.


product	size (mm)	no. per pack	product	size (mm)	no. per pack
Manhattan [Mixed length] (all sizes in one pack)	250 x 122 x 80	40	Manhattan 120mm [Mixed length] (all sizes in one pack)	250 x 122 x 120	28
	300 x 122 x 80	40		300 x 122 x 120	28
	300 x 164 x 80	20		300 x 164 x 120	14
	400 x 122 x 80	40		400 x 122 x 120	28
	400 x 164 x 80	20		400 x 164 x 120	14
	500 x 122 x 80	20		500 x 122 x 120	14
	500 x 164 x 80	20		500 x 164 x 120	14




Silver



Mid Grey



Graphite



Sandstone



IMPORTANT INFORMATION

Light coloured blocks emphasise tyre marks and oil spills. It must be accepted that these products will need more maintenance if the overall appearance is to be maintained.

Tobermore recommend that you separate product groups using contrasting bands of colour as each product is manufactured separately and may have slight variations in colour.

Contact Us

GB: 0844 800 5736
NI: 028 7964 2411
ROI: 048 7964 2411

Email

technical@tobermore.co.uk
sales@tobermore.co.uk