

# Mayfair Step Flags

with delineation strip

Granite effect with delineation strip.

With a striking granite appearance and hard-wearing surface, Mayfair Step Flags are both stylish and functional.

- Vibrant granite appearance
- Manufactured with natural granite aggregates
- Superb hard-wearing granite surface
- Vibrant long-lasting colours
- Creates a striking, contemporary look
- Flags and risers

 **PrimeTop**

 **Ef-Stop**

**TGA**

Textured  
Granite Aggregate


Finish



Pedestrian  
Use



600 x 400mm



400 x 400mm

#### Sizes



40mm  
50mm

#### Depths

# Mayfair Step Flags with delineation strip



## Specification

 **PrimeTop**  **Ef-Stop**

<b>Product type</b>	Concrete Paving Flag
<b>Manufactured to</b>	BS EN 1339:2003
<b>Surface Layer</b>	Hard-wearing surface layer with a minimum of 4mm and >390kgs/m <sup>3</sup> cement
<b>Granite Content</b>	Not less than 57% of granite aggregate in surface layer for Silver.
<b>Efflorescence</b>	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence
<b>Strength</b>	<b>Less than 50mm deep</b> Typical tensile splitting strength of >3,5MPa <b>50mm or greater</b> Typical tensile splitting strength of >5MPa (Class 3)
<b>Slip/Skid risk</b>	Extremely Low
<b>Installed to</b>	BS 7533-4:2006
<b>BS</b>	<b>Plus</b> Q25 315 <b>Create</b> 45-20-64/395
<b>Applications</b>	This product should be designed into projects using guidance from the Building Regulations, British Standards and any other relevant documents.
<b>Energy used</b>	100% renewable energy
<b>Water used</b>	100% from our rainwater harvesting system and groundwater bore hole
<b>Recycled content</b>	Not less than 6%
<b>Carbon Footprint</b>	<b>40mm</b> 16kgCo2e/m <sup>2</sup> <b>50mm</b> 19kgCo2e/m <sup>2</sup>
<b>Recyclable</b>	100% of this product can be recycled
<b>Manufacturing &amp; Delivery</b>	From one location within the UK
<b>breeam rating</b> www.bre.co.uk	<b>A</b> , according to the Green Guide to Specification, 4 <sup>th</sup> Edition 2009. <b>A+</b> , can be achieved by using a recycled sub-base.

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

### Contact Us

GB: 0844 800 5736  
NI: 028 7964 2411  
ROI: 048 7964 2411

### Email

technical@tobermore.co.uk  
sales@tobermore.co.uk

**tobermore.co.uk**


# Mayfair Step Flags



## Stock

product	size (mm)	finish	edge	colours available	in stock	no. per m <sup>2</sup>	no. per pack	no. per pallet	weight kg per pack GB	weight kg per pack NI/ROI
<b>Mayfair Edge Step</b> with delineation strip	600 x 400 x 50	Granite Textured (Top & 1 Edge)	Chamfered	Silver Flag with Black Strip	SO	4.16	20	40	589	584
	400 x 400 x 40	Granite Textured (Top & 1 Edge)	Chamfered	Silver Flag with Black Strip	YES	6.25	25	100	403	401
<b>Mayfair Corner Step</b> with delineation strip	400 x 400 x 40	Granite Textured (Top & 2 Edges)	Chamfered	Silver Flag with Black Strip	YES	6.25	25	100	403	401
<b>Mayfair Step Riser</b>	400 x 170 x 40	Granite Textured	Chamfered	Silver <small>(can be produced with or without delineation strip)</small>	SO	-	25	100	195	192

## Product Profile



Mayfair Step Riser Silver 400 x 170 x 40mm with Black Delineation Strip.  
**Note:** risers may need to be cut to suit regulations

## Step Example



Mayfair Corner Step  
400 x 400 x 40mm  
with Delineation Strip

Mayfair Edge Step  
400 x 400 x 40mm  
with Delineation Strip

Mayfair Corner Step  
400 x 400 x 40mm  
with Delineation Strip

### Contact Us

GB: 0844 800 5736  
 NI: 028 7964 2411  
 ROI: 048 7964 2411

### Email

technical@tobermore.co.uk  
 sales@tobermore.co.uk