



SCAN HERE

Step Risers

Decorative step edging.

These decorative step risers offer versatility and long-lasting colours. The smooth finish and vibrant solid and blended colours available enable the creation of distinctive step edges



- Enables the creation of distinctive and contrasting step edges
- A functional and aesthetically pleasing product
- Superb hard-wearing smooth surface
- Vibrant long-lasting colours
- Various Tobermore products can be used to infill the tread behind Step Risers

 **Ef-Stop®**

S
Smooth

Finish


Pedestrian
Use



Sizes

Step Risers



Specification

Product type	Concrete Kerb
Manufactured to	BS EN 1338:2003
Surface Finish	Smooth
Efflorescence	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence
Strength	Typical tensile splitting strength of >3.6MPa
Slip/Skid risk	Extremely Low
Installed to	BS 7533-6:1999
NS	Plus Q10 150 Create 45-20-64/370
Tolerances on Dimensions (mm)	Length ±2mm, width ±2mm, thickness ±3mm
Abrasion Resistance	Class 3
Durability (Freeze-thaw)	Class 3
External Fire Performance	Deemed to satisfy. See Commission Decision 2000/553/EC
Reaction to fire	Class A1
Applications	This product should be designed into projects using guidance from the Building Regulations, British Standards and any other relevant documents.
Energy used	100% renewable energy
Water used	100% from our rainwater harvesting system and groundwater bore hole
Recycled content	Not less than 5%
Recyclable	100% of this product can be recycled
Manufacturing & Delivery	From one location within the UK
breeam rating www.bre.co.uk	Refer to the Green Guide to Specification, 4th Edition 2009.



Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

Contact Us

GB: 0844 800 5736
NI: 028 7964 2411
ROI: 048 7964 2411

Email

technical@tobermore.co.uk
sales@tobermore.co.uk

tobermore.co.uk

Step Risers



Stock

product	size (mm)	colours available	in stock	no. per slice	no. per pack	weight kg per pack GB	weight kg per pack NI/ROI
Step Risers	160 x 190 x 100	Bracken, Charcoal, Heather	YES	40	240	1669	1659
	173 x 104 x 80	Bracken, Charcoal, Heather	YES	80	560	1865	1855

Important: Tobermore recommend that compliance is sought from Building Control prior to the installation of any of its step products.

Heather



Bracken



Charcoal



Contact Us

GB: 0844 800 5736
NI: 028 7964 2411
ROI: 048 7964 2411

Email

technical@tobermore.co.uk
sales@tobermore.co.uk

tobermore.co.uk